

Dehumidifiers



Scan for more
information or call
1300 722 228

Powerful Moisture Control




MJ-EV38HR-A

Dehumidifier

The Mitsubishi Electric MJ-EV38HR-A Dehumidifier is designed to remove excess moisture from the air and help maintain a comfortable level of humidity in your home.

The energy-efficient Inverter compressor, Intelligent Laundry and Air Purification modes are some of the features you will find in this dehumidifier.



1 Inverter light indicates the operation level of the selected operation mode

2 Dries inside the unit for a clean operation

3 Easy to read, backlit LCD display

4 Light indicator shows when water tank is full

5 Pre-Filter and two-layer PM2.5 filter help remove common fine particles and dust from the air*¹

6 Timer on/off with an hourly selection from 1 to 12 hours

7 Select the direction of airflow: upward, to the rear or wide

8 Set the desired humidity level between 50% and 70%, automatically turns off/on

9 Select the unit's operating mode

10 Quickly and effectively dries clothing without compromising delicate fabrics

*1 Tested in accordance with JIS L 1902:2008 Bacterial solution absorption method.



**MADE IN
JAPAN**



Effective Moisture Removal

Dehumidifies up to 38 litres of moisture per day inside your home.*¹



Eco Auto Mode

The Eco Auto mode features an automatic start and stop function to maintain the desired humidity level between 50% and 70%.



Intelligent Laundry Mode

Controls the airflow rate while monitoring the humidity in the room, estimates the laundry drying time and stops automatically. Dries clothes without compromising delicate fabrics.



Drying Inside Mode

Dries the inside of the dehumidifier to help prevent mildew growth on the cooler, helping to keep the unit clean.



Air Purification Mode

The Pre-Filter and two-layer PM2.5 filter help remove common fine particles and dust from the air.*²



Hourly Timer Control

Timer on/off with an hourly selection from 1 to 12 hours.



Inverter Technology

The Inverter technology constantly adjusts the power and running speed of the compressor according to the humidity level in the air, resulting in an energy-efficient operation.



Multi-Directional Airflow

The main louvre moves across different angles, reaching up to approximately 120°, and can be stopped at a desired angle for optimal airflow.

MJ-EV38HR-A Features

- Up to 38 litres Moisture Removal Capacity per day*¹
- Washable Pre-Filter
- Two-Layer PM2.5 Filter
- Dust Filter
- Blue Deodorising Filter
- Inverter Technology
- Energy-Efficient Compressor
- Powerful Operation
- Child Lock
- Easy to Read, Backlit LCD Display
- Eco Auto Mode
- Easy Dehumidifying Mode
- Mildew Guard
- Intelligent Laundry Mode
- Air Purification Mode
- Drying Inside Mode
- Multi-Directional Airflow
- Permanent Drainage Option*³
- Four 360° Wheels
- Carry Handle
- Cord Storage Box

*¹ Room Temperature 30°C / Relative Humidity 80%.

*² Tested in accordance with JIS L 1902:2008 Bacterial solution absorption method.

*³ The hose is not included with the product. A 15 mm internal diameter drainage hose must be purchased separately.




MJ-E29HX-A

Dehumidifier

The Mitsubishi Electric MJ-E29HX-A Dehumidifier works to extract excess moisture from the air, helping to create a fresher and more comfortable living space for your family.

This versatile dehumidifier can adapt to whatever your home needs with Auto, Intelligent Laundry and Air Purification modes.



- | | |
|---|--|
| 1 Dries inside the unit for a clean operation | 2 Easy to read, backlit LCD display |
| 3 Light indicator shows when water tank is full | 4 Pre-Filter and two-layer PM2.5 filter help remove common fine particles and dust from the air*1 |
| 5 Timer on/off with an hourly selection from 1 to 12 hours | 6 Select the direction of airflow: upward, to the rear or wide |
| 7 Set the desired humidity level between 50% and 70%, automatically turns off/on | 8 Select the unit's operating mode |
| 9 Quickly and effectively dries clothing without compromising delicate fabrics | |

*1 Tested in accordance with JIS L 1902:2008 Bacterial solution absorption method.



**MADE IN
JAPAN**



Effective Moisture Removal

Dehumidifies up to 29 litres of moisture per day inside your home.*¹



Auto Mode

The Auto mode features an automatic start and stop function to maintain the desired humidity level between 50% and 70%.



Intelligent Laundry Mode

Controls the airflow rate while monitoring the humidity in the room, estimates the laundry drying time and stops automatically. Dries clothes without compromising delicate fabrics.



Drying Inside Mode

Dries the inside of the dehumidifier to help prevent mildew growth on the cooler, helping to keep the unit clean.



Air Purification Mode

The Pre-Filter and two-layer PM2.5 filter help remove common fine particles and dust from the air.*²



Hourly Timer Control

Timer on/off with an hourly selection from 1 to 12 hours.



Multi-Directional Airflow

The main louvre moves across different angles, reaching up to approximately 120°, and can be stopped at a desired angle for optimal airflow.

MJ-E29HX-A Features

- Up to 29 litres Moisture Removal Capacity per day*¹
- Washable Pre-Filter
- Two-Layer PM2.5 Filter
- Dust Filter
- Blue Deodorising Filter
- Powerful Operation
- Child Lock
- Easy to Read, Backlit LCD Display
- Auto Mode
- Easy Dehumidifying Mode
- Mildew Guard
- Intelligent Laundry Mode
- Air Purification Mode
- Drying Inside Mode
- Multi-Directional Airflow
- Permanent Drainage Option*³
- Four 360° Wheels
- Carry Handle
- Cord Storage Box

*¹ Room Temperature 30°C / Relative Humidity 80%.

*² Tested in accordance with JIS L 1902:2008 Bacterial solution absorption method.

*³ The hose is not included with the product. A 15 mm internal diameter drainage hose must be purchased separately.




MJ-E23AX-A

Dehumidifier

The Mitsubishi Electric MJ-E23AX-A Dehumidifier helps control excess moisture in the air, to create and maintain a comfortable indoor humidity level.

This dehumidifier is packed with features such as Easy, Intelligent Laundry, Night Laundry and Air Purification modes, so your family can keep comfortable throughout the day.



- | | |
|---|---|
| 1 Dries inside the unit for a clean operation | 2 Easy to read, backlit LCD display |
| 3 Light indicator shows when water tank is full | 4 Pre-Filter and Two-Layer Silver Ion Filter help to remove pollen (diameter 10-100 µm) and dust particles from the air ¹ |
| 5 Timer on/off with an hourly selection from 1 to 9 hours | 6 Select the direction of airflow: upward, downward, to the rear or wide |
| 7 Set the desired humidity level between 50% and 70%, automatically turns off/on | 8 Select the unit's operating mode |
| 9 Quickly and effectively dries clothing without compromising delicate fabrics | |

¹Tested in accordance with JIS L 1902:2008 Bacterial solution absorption method.



**MADE IN
JAPAN**



Effective Moisture Removal

Dehumidifies up to 23 litres of moisture per day inside your home.*¹



Easy Dehumidifying Mode

The Easy Dehumidifying Mode monitors the room temperature, automatically selects the optimal humidity level, and adjusts operation to help maintain a comfortable indoor environment.



Intelligent & Night Laundry Modes

Controls the airflow rate while monitoring the humidity in the room, estimates the laundry drying time and stops automatically. Dries clothes without compromising delicate fabrics.

The Night Laundry Mode*³ reduces operational noise and silences the tank-full alarm.



Drying Inside Mode

Dries the inside of the dehumidifier to help prevent mildew growth on the cooler, helping to keep the unit clean.



Air Purification Mode

The Pre-Filter and two-layer Silver Ion filter help to remove pollen (diameter 10-100 µm) and dust particles from the air.*²



Hourly Timer Control

Timer on/off with an hourly selection from 1 to 9 hours.



Multi-Directional Airflow

The main louvre moves across different angles, reaching up to approximately 120°, and can be stopped at a desired angle for optimal airflow.

The front louvre can also be manually tilted downward, making it ideal for dehumidifying carpets and mattresses or drying training shoes.

MJ-E23AX-A Features

- Up to 23 litres Moisture Removal Capacity per day*¹
- Washable Pre-Filter
- Washable Two-Layer Silver Ion Filter
- Dust Filter
- Blue Deodorising Filter
- Powerful Operation
- Child Lock
- Easy to Read, Backlit LCD Display
- Auto Mode
- Easy Dehumidifying Mode
- Mildew Guard
- Intelligent & Night Laundry Modes
- Air Purification Mode
- Drying Inside Mode
- Multi-Directional Airflow
- Permanent Drainage Option*⁴
- Four 360° Wheels
- Carry Handle

*¹ Room Temperature 30°C / Relative Humidity 80%.

*² Tested in accordance with JIS L 1902:2008 Bacterial solution absorption method.

*³ On Night Laundry Mode, the drying time is longer than on Intelligent Laundry Mode.

*⁴ The hose is not included with the product. A 15 mm internal diameter drainage hose must be purchased separately.

Specifications

MODEL			MJ-EV38HR-A	MJ-E29HX-A	MJ-E23AX-A
Performances	Moisture Removal Capacity per day ^{*1} (L)		38	29	23
	Recommended Room Size ^{*2} (m ²)		Up to 96	Up to 67	Up to 54
	Water Collection Tank Capacity (L)		5.5	5.5	4.7
	Operation Temperature Range (°C)		5 – 35	5 – 35	5 – 35
	Automatic Defrost		•	•	•
Functions	Dehumidifying Modes		Easy/Eco Auto/High/Low/ Mildew Guard	Easy/Auto/High/Low/ Mildew Guard	Easy/Auto/High/Low/ Mildew Guard
	Humidity Selection		70%/65%/60%/55%/50%	70%/65%/60%/55%/50%	70%/65%/60%/55%/50%
	Humidity Indicator		•	•	•
	Laundry Mode		•	•	•
	Drying Inside Mode		•	•	•
	Air Purifier Mode ^{*3}		•	•	•
	Timer On/Off (hours)		1 – 12	1 – 12	1 – 9
	Water Tank Full – Automatic Stop & Light Indicator		•	•	•
	Multi-Directional Airflow Louvre		50°/60°/120°	50°/60°/120°	60°/90°/120°
Filtration	Pre-Filter (Washable)		•	•	•
	PM2.5 Filter ^{*3} (Non-Washable)		Catches common fine particles and dust in the air	Catches common fine particles and dust in the air	—
	Silver Ion Filter ^{*3} (Washable)		—	—	Catches dust particles and pollen (diameter 10-100 µm) in the air
Energy Efficiency	Power Consumption (W)	High	500	295	300
	Inverter Compressor		•	—	—
Operation Noise Level	Noise Level (dBA) ^{*4}	Low	34	38	37
		High	47	46	47
		Max (Laundry Mode)	48	47	48
Finish	Colour		Pure White	Pure White	White
	Front Panel		Plastic	Plastic	Plastic
	Main Body		Plastic	Plastic	Plastic
Others	Country of Origin		Japan	Japan	Japan
	Permanent Hose Compatible ^{*5}		•	•	•
	360° Rotation Castors		4	4	4
	Carry Handle		•	•	•
	Child Lock		•	•	•
	Power Cord (m)		1.8	1.8	1.8
	Power Cord Storage Box		•	•	—
	Mitsubishi Electric Australia Warranty (Months)		24	24	24
Dimensions & Weight	Unit Dimensions	Width x Height x Depth (mm)	410 x 630 x 299	410 x 630 x 299	372 x 594 x 281
		Weight (kg)	18.1	17.4	14.4
	Packing Dimensions	Width x Height x Depth (mm)	510 x 685 x 385	510 x 685 x 385	441 x 631 x 328
		Weight (kg)	20.5	19.8	16.0

^{*1} Room Temperature 30°C / Relative Humidity 80%. Actual dehumidifying performance varies depending on your specific environment, including room size, layout, and local climate.

^{*2} The recommended room size is calculated in accordance with JEM1411:1998 (category of concrete apartment building).

^{*3} PM2.5 & Silver Ion Filters Tested in accordance with JIS L 1902:2008 Bacterial solution absorption method.

^{*4} Measured at 1m distance, in an anechoic room (4 x 4 x 2.8m).

^{*5} The hose is not included with the product. A 15 mm internal diameter drainage hose must be purchased separately.

• Standard feature.

**MADE IN
JAPAN**

Follow the instructions in the user manual for cleaning or replacing the filters



MitsubishiElectric.com.au

The specifications and information in this brochure are subject to change without notice. Colours depicted in this brochure may vary slightly. Images are for illustrative purposes only. This Brochure must be read in conjunction with the product's User Manual. The features outlined in this Brochure are subject to the operational instructions detailed in the product's User Manual.

© Mitsubishi Electric 2026.